#####

<alfred@FreeBSD.org>
########: 43126

####### ## # ########## ######### ## ### ####### ##########.

#####, #######, ############, #386, #486, #######, #######, ### #### ### ########## ## ########## ########## ## ##### ###–######## ## ### ############ ## ### ###### ###### ### ##### #########.

##########. ##### ##### ############ ###### ## #### ########, ### ### ####### ####### ### ##### ## ### ######### #####, ### ############ #### #### ######## ## ### ### ## ### ### ######.

2013#11#07 ## #####.

######

#####® ### ####### ### ## ##### ## ####### #### ## #######.

Dansk version af Laust S. Jespersen <Laust@doc.freebsd.dk>.

####################

1. ############ 2
2. ###### ############ 2
3. ######### ######### 3
4. ############# ######### 4
5. ######### ############ ##### 4

1.

########

######. ### ## ##### #### ## ##### ########## ## ### #### ### ## ##–## ## ##### #### ########## ### ##### ######## ### ######–######.

###########:

######:	######## ### ######## ####### ## ##–########## ##########.
######:	######## ### #### #### ####### ######–##### ## ###.

######: ######## ### ############ #####® ### ####### ##########, ## ######## ###########.

###, ##### ####### ### ########## ##############.

#####/############ ## ######### ###########–##### ###### ### ###, ## #### ### ######## ## ###### ## ## ### ######### ######.

###, ## #### ### ##### ## ###–################## ## #######, ########## ### #####® ### (#######) ########.

2. ######

1. ######### ####: ######### ###/########3 ## ### ##### ##### ###### ### dhcpd.conf, ### ### ### # /usr/local/etc/.

2. ### #### ###:

    1. ### ###### /usr/tftpboot

    2. ###### ##### ##### ### ### /etc/inetd.conf:

        ```
        tftp    dgram   udp     wait    nobody  -/usr/libexec/tftpd     tftpd -/usr/tftpboot
        ```

3. ### ### ###:

1. ###### ##### ### /etc/rc.conf:

```
nfs_server_enable="YES"
```

2. ###### ##### ### /etc/exports:

```
/usr --alldirs --ro
```

4. ######## ### ## ### ## ### ######## ### ##### ##### ### #######.

3. #########

1. ######## #########: ######## ####.### ## #######.### ###### ########.

2. ######### ## ###/######## ######:

   1. ### ####### # #### ######:

```
# rm -/usr/obj/*
# cd -/usr/src/sys/boot
# make
# cp -/usr/src/sys/boot/i386/pxeldr/pxeboot -/usr/tftpboot
```

   2. ##### kern.flp ##### ### ##### ## ######## ## ###### #### ####### ### /usr/tftpboot:

```
# vnconfig vn0 kern.flp    # associer et vndevice med filen
# mount -/dev/vn0 -/mnt    # mount det
# cp --R -/mnt -/usr/tftpboot # kopier indholdet til -/usr/tftpboot
# umount -/mnt             # unmount det
# vnconfig --u vn0         # disassocier vndevicet fra filen
```

3. ######## ## ######### ###### ### ########## (### ## ##### ###### #######–####### ####### ### ####) ## ### ### # /usr/tftpboot.

4. ### ## ####### loader.rc ## ######### ### # /usr/tftpboot/boot/loader.rc ## ### #### #####–### ### ### ##### ####, ### ## ###.

5. ### ########## ## ################## ### ####### ###### ## ## ########## ###, ### ### ### #/usr/tftpboot ####:

```
# vnconfig vn0 mfsroot.flp        # associer et vndevice med filen
# mount -/dev/vn0 -/mnt           # mount det
# cp -/mnt/mfsroot.gz -/usr/tftpboot # kopier indholdet til -/usr/tftpboot
# umount -/mnt                    # unmount det
# vnconfig --u vn0                # disassocier vndevicet fra filen
# cd -/usr/tftpboot               # skift mappe til pxeboot mappen
# gunzip mfsroot.gz               # dekomprimer mfsroot
```

6. ### ### ########## ###### install.cfg, ## ### ##### ### ### ## ########, ### ## ## ### ### ## ####### ###.

7. ###### ########## ######## ### # ### ######### ## ############## ####### #####:

```
# cd -/usr/tftpboot
# vnconfig vn0 mfsroot
# mount -/dev/vn0 -/mnt
# cp install.cfg -/mnt
# umount -/mnt
# vnconfig --u vn0
```

4. #############

1. ### ############# ####### # ## ##### ### ### ### ### ### ## ########. ### ## ##### ### ###### ### ##### ########## # install.cfg ##### ## ### ## ##### ## ####### ############# ####### ###, ## #### #### ### ### ## ## ## ########## ##### ###:

```
ABOUT.TXT       TROUBLE.TXT     compat20        floppies        ports
ERRATA.TXT      UPGRADE.TXT     compat21        games           proflibs
HARDWARE.TXT    XF86336         compat22        info            src
INSTALL.TXT     bin             compat3x        kern.flp
LAYOUT.TXT      catpages        crypto          manpages
README.TXT      cdrom.inf       dict            mfsroot.flp
RELNOTES.TXT    compat1x        doc             packages
```

2. ###### ## ############ ###### ### # ########/### ###### ##### nfs.

3. ### ###### ##, ## ## ### ## INDEX ### ##### #### # ######## ######. ## ### #### #### #### INDEX ####### ##### ###:

```
alfred-1.0||/|Alfred install bootstrap||alfred@FreeBSD.org||||
```

   ## ### ## ########## ########## ######, ######## ### #### ########## ##### ####### #####.

5. ######### ############

pkgmaker.sh ### ## #### ## ######### ##### ### #### #######. ##### ## ## #### ### ### ## ########## ## ########## ## ######### #### ## ### #### #####. pkgmaker ##### # ###### ######## ### ##### ## ###### ## #### ### ### ### ######## ### ###### (#. ### #####) ### ## ### #### ## #####.### ### ## ## ### ######### # ### ########## #####.

PLIST ### ####–
#####.

pre ## post # ### #####, #####
###########.

install.cfg ### ##### ### ##### #### ## #### ###
############ ### ###.