

```
##### <matt@garply.com>
#####: 43126
```

#####

#####

1. #####	1
2. #####	2
3. #####	6
4. #####	9

1. #####

1977 #####, #####
#####. #####

#####: #####.
#####,
#####.

#####.

#####

```
#####  ###  #####  #####  #####  ##  #####  ##  #####  #####  #####  ##  ##  #####  ##
#####  ##  #####  ##  #####  #####  ##  #####  ##  #####  #####  #####  #####  #####  ##
#####.  ##  #####,  ##  #####  ##  #####  #####  ##  #####  ##  #####  ##  #####  ##
#####  ##  #####  ##  #####  #####  ##  #####  ##  ##,  #####  ##  #####  #####
#####  ##  ##  #####.  #####  ##  #####  ##  #####  #####  #####  ##  ##  #####  #####
#####  #####  #####  #####  ##  #####  #####  ##  #####  #####.  #####  ##-
#####  ##  #####  ##  #####  #####  #####  ##  ##  #####  #####.  #####  ##
#####  ##  #####  ##  #####  #####.
```

```
#####  
#####  
#####
```

```
# pkg_add -/cdrom/packages/mh-6.8.3.tgz
```

```
#####  
#####  
#####  
#####  
#####
```

[illegible]

2. #####

```
##### inc, show, scan, next, prev, rmm, rmf, msgchk. #####
#####. #####
#####. ##
##### inc ##### ##### ##### ##### ##### show ##
#####.
```

[illegible]

```
2.1. inc. msgchk##### ## ##### ### ##### ## ##### ##
```

```
##### inc #####  
#####. ##### inc #####  
##### # Mail #####
```

#####

#####. ## ### ##### ##### ##### ## ## ##### ##### ##### #####
##:

```
29 01/15 Doug White      Re: Another Failed to boot problem<<On Mon, 15 J
30 01/16 -"Jordan K. Hubbar Re: FBSD 2.1<<> Do you want a library instead of
31 01/16 Bruce Evans     Re: location of bad144 table<<>> >It would appea
32 01/16 -"Jordan K. Hubbar Re: video is up<<> Anyway, mrouted won't run, ev
33 01/16 Michael Smith   Re: FBSD 2.1<<Nate Williams stands accused of sa
```

scan (### ##### 2.3, #scan##### ## #
#####). ## ### ##### ## inc ##### ## ##### ## ##
##.

#####. ## ##### ## ## inc # ## ##### ##.

```
% inc --host mail.pop.org --user username --norpop
```

inc ## ## ## mail.pop.org ## ##### ## ## ##, ## ## ##
username. ## -norpop ##### inc ## ## ## ##3 ## ##—
##. ## ## ##### ## ## ##. ## ##
##. ##### ## ## ## ##
inc ## ## ## ## ## ## ## ## ## ## ##.

msgchk ##### ## ## ## ##### ## ## ## ## ## ##
msgchk ##### ## ## -host ## -user ##### ## inc ##.

2.2. show, next ## prev##### ## ## ##

show ## ## ## ## ## ## ## ## ##. ## inc, show ## ## ##—
#####. ## ## ## ## show ## ## ## ## ##
#####. ## ## ## ## ## ## ## ## ##:

```
% show 32 45 56
```

32, 45 ## 56 ##### ## ## ##. #####
show ##### ## ## ## more ## ## ##—
####.

next ## ## ## ## ## ## ## ## prev ## ## ## ##
show ##### ## ## ## ## ##
##.

2.3. scan##### ## # ## ##

scan ##### # ##### ## ## ## ## ##. ## ##
scan ##### ## ## ##.

30+	01/16 Jordan K. Hubbar	Re: FBSD 2.1<>> Do you want a library instead of
31	01/16 Bruce Evans	Re: location of bad144 table<>>> >It would appea
32	01/16 Jordan K. Hubbar	Re: video is up<>> Anyway, mrouted won't run, ev
33	01/16 Michael Smith	Re: FBSD 2.1<<Nate Williams stands accused of sa

```
##### -reverse #####. #####  
#####. #####  
##### scan ## ## ##### # ####. ## ####  
##### ## ##### ## inc ## ## ## scan -file /var/mail/username. ####  
#####.
```

```
### rmf ##### ## ##### ## #####. #### #### ## ##### ##### ## #####
### ##### ##### ## ##### ## ##### ## ## ##### ## ##### ## ##
### #####.
```

```
### ##### ##### ##### ##### ## ## ## inc ##### ## ##. ## ## # ##### #####
##### ## inc ### #####.
```

#####

To: matt@garply.com
Subject: Request...
Message-Id: <Pine.BSD.3.91.960119133211.824A-100000@sashimi.wwa.com>
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII

Please remove me as contact for pindat.com

% **rmm**

% **next**

Received: from localhost (localhost [127.0.0.1]) by whydos.lkg.dec.com (8.6.11/8.6.9) with SMTP id RAA24416; Fri, 19 Jan 1996 17:56:48 GMT
Message-Id: <199601191756.RAA24416@whydos.lkg.dec.com>
X-Authentication-Warning: whydos.lkg.dec.com: Host localhost didn't use HELO protocol
To: hsu@clinet.fi
Cc: hackers@FreeBSD.org
Subject: Re: kern/950: Two PCI bridge chips fail (multiple multiport ethernet boards)
In-Reply-To: Your message of -"Fri, 19 Jan 1996 00:18:36 +0100."
<199601182318.AA11772@Sysiphos>
X-Mailer: exmh version 1.5.omega 10/6/94
Date: Fri, 19 Jan 1996 17:56:40 +0000
From: Matt Thomas <matt@lkg.dec.com>
Sender: owner-hackers@FreeBSD.org
Precedence: bulk

This is due to a typo in pcireg.h (to which I am probably the guilty party).

rmm #####
#####. ### ##

##:

% **scan last:10**

26 01/16 maddy Re: Testing some stuff<<yeah, Trinity has
27 01/17 Automatic digest NET-HAPPENINGS Digest -- 16 Jan 1996 to 17 Jan 1996
28 01/17 Evans A Criswell Re: Hey dude<<>From matt@tempest.garply.com Tue
29 01/16 Karl Heuer need configure/make volunteers<<The FSF is looki
30 01/18 Paul Stephanouk Re: [alt.religion.scientology] Raw Meat (humor)<
31 01/18 Bill Lenherr Re: Linux NIS Solaris<<--- On Thu, 18 Jan 1996 1
34 01/19 John Fieber Re: Stuff for the email section?<<On Fri, 19 Jan
35 01/19 support@foo.garpl [garply.com #1138] parlor<<Hello. This is the Ne
37+ 01/19 Matt Thomas Re: kern/950: Two PCI bridge chips fail (multipl
38 01/19 Amancio Hasty Jr Re: FreeBSD and VAT<<>>> Bill Fenner said: > In
%

#####. # #
#

#####

3. ##### ### #####

[illegible][illegible][illegible]

3.1. pick#####

```
pick ## ### ## ### ##### ##### ## ### ## #####. ## ### ##### ## ###
### ###(1) ### ### ## ### ##### #####. ## ### ##### ## ###
### ## ##### ## ###
```

% pick --search pci

```
#### #### pick ## #### ##### ##### ##### ## ##### ##### ## #####
##### ##### ## #### ## ##### ##### ##### ## ##### ## ##### pci ##. ##
```


- ... -or ...
- -not ...
- -lbrace ... -rbrace

```
% pick --to freebsd-hackers --or --cc freebsd-hackers
```

```
% pick --lbrace --to freebsd-hackers --and
--not --cc freebsd-questions --rbrace --and --subject pci
```

3.2. folder, folders, refile#####

```
#####  ###  ###  #####  ###  #####  #####  ###  ###  #####  #####
##  ###  #####.  ##  ###  #  scan  ###  #####  #####  ###  #####  34, 35, 36, 43, 55, 56,
57, 80.  ##  ###  #  #  folder -pack  #####  #####  #####  ###  #####  #####  ##  #####  #####
###  ##  #####.  ##  #####  #####  #####  #####  #####  #####.  ##  ###  ###  #####  ##
#####  #####  #####  #####  #####  #####  #####  #####.  ##  #####  #####
```

Folder	# of messages (range -); cur msg (other files)
1	1
2	1
3	1
4	1
5	1
6	1
7	1
8	1
9	1
10	1
11	1
12	1
13	1
14	1
15	1
16	1
17	1
18	1
19	1
20	1
21	1
22	1
23	1
24	1
25	1
26	1
27	1
28	1
29	1
30	1
31	1
32	1
33	1
34	1
35	1
36	1
37	1
38	1
39	1
40	1
41	1
42	1
43	1
44	1
45	1
46	1
47	1
48	1
49	1
50	1
51	1
52	1
53	1
54	1
55	1
56	1
57	1
58	1
59	1
60	1
61	1
62	1
63	1
64	1
65	1
66	1
67	1
68	1
69	1
70	1
71	1
72	1
73	1
74	1
75	1
76	1
77	1
78	1
79	1
80	1
81	1
82	1
83	1
84	1
85	1
86	1
87	1
88	1
89	1
90	1
91	1
92	1
93	1
94	1
95	1
96	1
97	1
98	1
99	1
100	1


```

announce has 1 message ( 1- 1).
drafts has no messages.
f-hackers has 43 messages ( 1- 43).
f-questions has 16 messages ( 1- 16).
inbox+ has 35 messages ( 1- 38); cur= 37.
lists has 8 messages ( 1- 8).
netfuture has 1 message ( 1- 1).
out has 31 messages ( 1- 31).
personal has 6 messages ( 1- 6).
todo has 58 messages ( 1- 58); cur= 1.

TOTAL= 199 messages in 13 folders.

```

```
##### refile ##### ## ### ## ## ##### ##### #####. ### ## ##
##### refile 23 +netfuture ##### 23 ## ##### ## netfuture #####.
##### ## ##### refile 23 +netfuture/latest ##### ## #####
23 ## # ##### latest ##### netfuture #####. ## ## ## ## ##-
##### ## ##### ## ## ## ## ## ## refile -link 23 +netfuture #####
##### 23 ## ##### inbox ## ## ## netfuture #####. ## ## #####
##### ## ##### ## ## ##### ##### ## ## ## ## ##.
```

4. #####

[illegible]

4.1. comp, forw, reply#####, ##### ## ##### ## # ##### ## #####

```
### comp ##### ## # ### ##### ##### #### #####. ## ## ##### ##  
## ## ## ## ## -editor #####. #### ## ## ##### ## ##### ##  
##### # ##### ##### prompter ##### ##### ##. ## ## ## # ## #####  
##### ## ##### ## ## ## ## ##. ## ## ## ## ## ##### # ##### ##  
##### ## ##### ## ## ## comp -editor /usr/bin/vi ## comp -editor /usr/local/bin/pico #####.  
#### ## ## ## comp ## ## ## ## ## ## ## ## ## ## ## ## ## ## ## ##  
#### ##:
```

To:

components, ### replcomps#####
comp ### repl

cc:
Subject:

To: ####. ## #####
#####, ## ### ##### ### ## ### #####
Subject: ####. ##### ## ##### ##### ### ##### ##### #####
#####. ## ### ##### # ### ##### ##### # ### ## ##### ##### #####—

#####. ##### ##### ##### ##### ##### #####.

To:freebsd-rave@FreeBSD.org
cc:
Subject:And on the 8th day God created the FreeBSD core team

Wow this is an amazing operating system. Thanks!

#####. ### ##### ## ## What now?
send ## s ### ## #####. ##### ## ##### #####
#####. ## # #####, ## ## #####
What now? #####. ### ##### ## ## ## quit, ## ## ## ##
#####.

forw ##### ## #####. ### ## ##### ##### ##
#####. ##### ##
forw ## ##### ##### #####. ### ## ##### ## ##
forw 23 ### ##### ##### 23 ### ##
#####. ##### #####
forw ##### ## ## ## comp. ### ## ##### ##
#####.

repl ##### ## ##### ## #####, ##### ## ##
##. repl ##### ## ## ##### ## ##
#####. ## ## ##### ##### ## To: #####
#####. ##### ## Subject: #####
##. ###
-cc #####. ### ## ## all, to, cc, me #####
-cc ##### ## ## repl ##### ## ## Cc: #####
#####. ### ## ##### ## ## ##
##.

4.2. components, ### replcomps##### ##### comp ### repl

components ##### ## ##### ## /usr/local/lib/mh. ### #####
#####. ## ##
##. ### ##### ##### ##### ## ## ##, # #####
#####. ### comp ##### ##### components ##### ## ##

```
### ## ### #### ## ##### ###822 ##### ## ####, ## ##### ## #####  
##### #### ## #### components ####:
```

To:
 Fcc: out
 Subject:
 X-Mailer: MH 6.8.3
 X-Home-Page: <http://www.FreeBSD.org/>

```
## ##### ## ## ## ##### ## ## ## ## ## ##. ## com-  
ponents #### ## #####. ## ## ## ## # ##### ## #####  
### ##### ## ## ##### ## ## components ####.
```

```
### replcomps ##### ## # ### ##### #####. ### ##### replcomps ##### ##### ##:
```

```
% (lit) % (formataddr %<{reply-to}% ? {from}% ? {sender}% ? {return-path}%>)\n%<(nonnull) % (void(width)) % (putaddr To: -) %> \n% (lit) % (formataddr {to}) % (formataddr {cc}) % (formataddr(me)) \n%<(nonnull) % (void(width)) % (putaddr cc: -) %> \n%<{fcc} Fcc: % {fcc} %> \n%<{subject} Subject: Re: % {subject} %> \n%<{date} In-reply-to: Your message of -" \n%<(nodate {date}) % {date} %> (pretty {date}) %> . "%<{message-id} \n% {message-id} %> %> \n%> \n
```

```
##### components #####  
#####.###%(lit)#####.###%(formatad-  
dr)#####.########%<#####  
#####{reply-to}##########.#####  
#####:
```

```
%<if {reply-to} the original message has a reply-to
then give that to formataddr. %? else {from} take the
from address, %? else {sender} take the sender address, %?
else {return-path} take the return-path from the original
message, %> endif.
```

```
#####  
#####  
#####  
#####  
#####  
##### replcomps #####  
#####  
#####
```

