##

<matt@garply.com>

#######: 43126
#1.0, 16 ####### 1996 ### .

######

#######.

Version française de Sébastien Gioria <gioria@FreeBSD.ORG>.

########

1. ############ 1
2. #### ## ######## 2
3. ######## ##### ### ######## ## ### ######## 6
4. ####### ### ######## 9

1.

1977 #### ## ####### #### ###########, ## ## ########## ## ### ##–########. ## ##### ### ######### ## ######### ############ ## ######## ####–######## #### ###### ### ########### ### ## ######### ##### ## ########## ### ###### ########## ## #### ### ########. ### ############ ## ## ### ###### ## ##–###### ####### #### ## ######## ## ####### #### : ##### ## ###### ####### (###### ## #### ###### ########).

####, ####### ## ##### ### ######### ##############, ### ### ##### ### ######### ## ###### ########## ###########. ######## ######## ## #### ##### ###########, ######## ###. ###### ##### ## ## ######## ### ######, ## ########## #### ####.

#############, ###### ##–### ## ######## ## ######### ## ############# ########. ## ####, ## #### ## ##–### ### ######## ####### ###### ## #####, ## ## ##### ######### ## #######, #### #### ## ###### ############ #### ##########. ###### ### ######### ## ## ###### ## ##### ######### ### ######## ## ############# ## ### ######### ## ##

########. ## ##### ## #### ########## ### ## ## ######## ### #### ###### ###–##### ###### ######## -help # ### ######## #### ######## ###### ### ####### ###–########.

#########, ####### #### ### #### #### ######## ### ########## ## ## ### ##### #######. ## #### ######## #### ##### #### ##### ####### ########### ## ######### ## ######## ######## :

```
#>pkg_add -/cdrom/packages/mh-6.8.3.tgz
```

/usr/local/lib/mh ##### ### ####### ## ########## ######## #### ## ########## /usr/local/bin. ## #### ######## ## ###–##### #### ####, #### ###### ########### ### ####### ## ### ####### ###### ###.###.###.### ## #####.####.###.

########–### ## ##. #### #### ######### ##### ######## ### ## ##### ## ## ##### ## #### ###### ## #### ### ######. #### ###### ######## ######### ### ##### ## ####### ### ########## ######### ### ## #####. ## #### ## ###### ### ## #### ## ### ### ## ## ## #### ####### ## ##### ## ########## ####.####.##. ######### ## ######## ######### ### ## ### ## ##### ##### ### ##### #### ### ######## ######## ## ##–########.

2. #### ##

inc, show, scan, next, prev, rmm, rmf, ### msgchk. ## ######## ##### ## ## ### ## ########### ## ########### ##### ### ########## ##########. ## ##### ## #### ########## # ####### ####### #### ####### ### ###–######## #########, ### ## ##### ## ######### ### ##### ## ########. #### ## ### ## ## ######## inc #### ### ##### #### #### #### ### ######### ##### show ##### #### ########.

23 20 16, ### ########### ### ######## 23, 20 ## 16. ##### ######## #### ######, #### #### ###### ##### ### ###### #### ###### ##### *23-30* ############ # #### ### ######## ##### ## ####### 23 ## ## ####### 30. #### ###### ##### ######### *cur:10*, ### ########## ## ####### ####### ## ### 9 ######## ########. ### ######## *curlast*, ## *first* #### ### ######## ######## ######## ## ####### #######, ####### #######, ## ####### ####### ## #######.

2.1. inc, msgchk##### ## ######## ###

inc #### #########, #### ####### ### ## ##### #### #### #### ##### ######## #### ##. ## ######## #### ## #### ######## inc, ##

####. ## #### #### ### ######## ## ####### ## ####–##########, #### ###### ####### ##### ### #### ########## # ####:

```
 29  01/15 Doug White        Re: Another Failed to boot problem<<On Mon, 15 J
 30  01/16 -"Jordan K. Hubbar  Re: FBSD 2.1<<> Do you want a library instead of
 31  01/16 Bruce Evans       Re: location of bad144 table<<>> >It would appea
 32  01/16 -"Jordan K. Hubbar  Re: video is up<<> Anyway, mrouted won't run, ev
 33  01/16 Michael Smith     Re: FBSD 2.1<<Nate Williams stands accused of sa
```

scan (#### ####### 2.3, # scan######### ## ###### ## ### ######## #). ## #### ###### inc #### ######### , #### #### ####### ##### ## ######## ### #### ### #######.

########## ## ######### ######### ## ######### ### #### #### #### ####. ## #### ######## ## ######### ### #### ######### ### ###### ### ##### #####. #### ##### ###### ######### ######### # inc #### ####.

```
tempest% inc --host mail.pop.org --user NomUtilisateur --norpop
```

inc ## ### ###### ####### ########## ## ######## ### ## ####### *mail.pop.org*, #### ##### ### ############# *NomUtilisateur*. ######## -norpop ##–##### # ## ######## inc ## ########## ## ######## ## ##### ####### ## ######### ###3. ## ######## ######### ######### ## ######### ###3. #### ############ ### #### ## ####### ### ### ### ###### #########. #### ###### ######### ### ###### #### ######### #### inc #####, ####### ### ######## ## ######### ### ########

msgchk #### ###### ## ###### ## #### #### ## ### ## ######## ######## #### ##### #####.msgchk ####### ### ##### ####### ,-host ## -user, ### ## ######## inc.

2.2. **show, next** ## **prev**######### ## ####### ## ## ######## #### ### #####.

show #### ###### ## ########## ## ######## ## ##### #####. ##### inc,show ### ### ######## ##### #######.## #### ##### **show** #### ########## #### ####### ## ###–#### #######. #### ###### ##### ######## ########## ## ######## ########## ## ####### ### ###### # show:

```
tempest% show 32 45 56
```

32 45 56 # ## ##### #### ## #######. ## #### ####### #### # ## ############## ### ######, show ## #### #### ####### ##### more ### ## ####### ######### ##### #######.

next ######### #### ## ######## ## ####### ####### ## prev #### ####### ## ###–#### #########. ### #### ######### ######### ############### ## show ## ### #### ###### ## #### ############### ## ####### ####### ## #########.

2.3. **scan**######### ## ###### ## ###

scan ####### ## #### ########## ## #### ### ######## ## ##### ########## #######. ##### ## ####### ########### ## ## ######## show:

```
 30+ 01/16 -"Jordan K. Hubbar  Re: FBSD 2.1<<> Do you want a library instead of
 31  01/16 Bruce Evans        Re: location of bad144 table<<>> >It would appea
 32  01/16 -"Jordan K. Hubbar  Re: video is up<<> Anyway, mrouted won't run, ev
 33  01/16 Michael Smith      Re: FBSD 2.1<<Nate Williams stands accused of sa
```

##, ########### ### ############ ############. ## ### ### ####–### #### ######### ######### ### ########### ### ######. ## #### ###### ## ##–######## ## ###### ## #######, ## #### #######, ##########, ## ##### ## ### ###–### ## ##### ## #######. ## ######### + #### ####### ## ####### ####### #### ## #### ##### ## ######## show #### ############ ## #######.

scan ### ######## -reverse. ##### ###### ###### ## ###### ########## ## ### ######## ## ######### ## ####### ## ####### ##### ## ###### ## #### #####. ### ##### ###### #### ############ ## scan ### ###### ## #### ### ####### ###### ## ########. ## #### ####### ######### ##### ##### ### ####### ## ######## ####### #### ##### # ###### ## ######## inc, ## #### ###### ## ##### scan -file /var/mail/nom_d_utilisateur. #### #### #### #### ### ######### #### ####### ## ###### ####.

2.4. **rmm** ## **rmf**# ####### ## ####### ####### ## ##

rmm ### ####### #### ####### ## ########. ### ###### ## ####### ##### ### ######## ####### #### ####### ## ## ######## #### ## ### ### ###### ### ### ######### ## ##. #### ###### ####### ############ ## ##### ########## ### ######## #########.

rmf ###### ######### ## ########. #### ## ####### ### ### ######## #### ### ###### ## ###### ###, #### ##### #### ##### ########### ######### ####### #### ##########.

2.5. ## ####### ####### ## ####### ####

inc. #### #### ############## ## ######### ##### inc ## ## ###### ######.

```
tempest% inc
Incorporating new mail into inbox...

  36+ 01/19 -"Stephen L. Lange  Request...<<Please remove me as contact for pind
```

```
  37  01/19 Matt Thomas        Re: kern/950: Two PCI bridge chips fail (multipl
  38  01/19 -"Amancio Hasty Jr  Re: FreeBSD and VAT<<>>> Bill Fenner said: > In
tempest%
```

#######. ## ######## ######## # ######## ### show #### #### ######### ## ### ########## ## ## #### ######## #### ##### ##### ## ########.

```
tempest% show
Received: by sashimi.wwa.com (Smail3.1.29.1 #2)
        id m0tdMZ2-001W2UC; Fri, 19 Jan 96 13:33 CST
Date: Fri, 19 Jan 1996 13:33:31 --0600 (CST)
From: -"Stephen L. Lange" <stvlange@wwa.com>
To: matt@garply.com
Subject: Request...
Message-Id: <Pine.BSD.3.91.960119133211.824A-100000@sashimi.wwa.com>
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII



Please remove me as contact for pindat.com

tempest% rmm
tempest% next
Received: from localhost (localhost [127.0.0.1]) by whydos.lkg.dec.com (8.6.11/8
.6.9) with SMTP id RAA24416; Fri, 19 Jan 1996 17:56:48 GMT
Message-Id: <199601191756.RAA24416@whydos.lkg.dec.com>
X-Authentication-Warning: whydos.lkg.dec.com: Host localhost didn't use HELO pro
tocol
To: hsu@clinet.fi
Cc: hackers@FreeBSD.org
Subject: Re: kern/950: Two PCI bridge chips fail (multiple multiport ethernet
 boards)
In-Reply-To: Your message of -"Fri, 19 Jan 1996 00:18:36 +0100."
            <199601182318.AA11772@Sysiphos>
X-Mailer: exmh version 1.5omega 10/6/94
Date: Fri, 19 Jan 1996 17:56:40 +0000
From: Matt Thomas <matt@lkg.dec.com>
Sender: owner-hackers@FreeBSD.org
Precedence: bulk



This is due to a typo in pcireg.h (to
which I am probably the guilty party).
```

rmm ###### ## ####### ####### ## ## ######## next ###### ## ######## ## ###### ## ####### ####### ## ####### #######. ########## #### ####### #####–##### ### ### ######### ### #### #######, #### ####### ###### #### ####### ####:

```
tempest% scan last:10
  26  01/16 maddy              Re: Testing some stuff<<yeah, well, Trinity has
```

```
  27  01/17 Automatic digest   NET-HAPPENINGS Digest -- 16 Jan 1996 to 17 Jan 19
  28  01/17 Evans A Criswell   Re: Hey dude<<>From matt@tempest.garply.com Tue
  29  01/16 Karl Heuer         need configure/make volunteers<<The FSF is looki
  30  01/18 Paul Stephanouk    Re: [alt.religion.scientology] Raw Meat (humor)<
  31  01/18 Bill Lenherr       Re: Linux NIS Solaris<<--- On Thu, 18 Jan 1996 1
  34  01/19 John Fieber        Re: Stuff for the email section?<<On Fri, 19 Jan
  35  01/19 support@foo.garpl  [garply.com #1138] parlor<<Hello. This is the Ne
  37+ 01/19 Matt Thomas        Re: kern/950: Two PCI bridge chips fail (multipl
  38  01/19 -"Amancio Hasty Jr  Re: FreeBSD and VAT<<>>> Bill Fenner said: > In
tempest%
```

########## #### ###### #### ## ####### ###### 27, #### #### #####**show 27** ## ## #########. ##### #### ###### ## #### ##### ## ##### ####### ## ### #### ###### # ######## #### ########## ## #### ##### ######## ## ### ## #### #### ########.

3. ######## ##### ### ######## ## ###

#########, ####### ### ########, ### ######### ## ########### ######. ## ###### ## ##### ###### ### ###### ## ###### #### ###### ##### ##########. ### ##### #### #### ####### ### ###### ##### ### ## ####### ## #######. #### #### ######## ####### ## ####### ## ####### #### ######## ########## ## ####### ## ######## #######–#####. ## # ##### ### ########. ## #### ##### ##### ### ############ ## ########. ## ##### ### #### ##### ##### # ######## ##### #### ######## ## ######## inc, #### ## ######## ####, ### ####### ####### ## #### ###### ##### ## ########## Mail, ## ####### ########## #### #### ## ##########. ## #### ######## ## ##### ## ###### #### ## ##########, #### ###### ## ########## inbox. ## ########## ######## #### ### ######## ######## ### ##### ### ###### ### ######## #### ## ##### #######.

####### #### ##### ## ####### #######, ## ########## ### #### #### ##### #####–##### Mail ## ### ######## # ########## ## ## ####### #### ####### #### ## ##–########. ####### ## ####### ####### ######, ## ### ###### #### ##### ########## inbox #### ##### ### ## ###### ## #######. #### #### ## #### ###### ### ### ##–#### ## #### #### ##### ########, #### ###### ######## ### ######### ######### #### #### #### ######## ###### ### ######## ## ########## ### ########. ##### ##### ########## ### #### ##### ###### ## ######### #### ## ########## ## ### ########.

########, ##### *23 16 42*, #### ## ####### ### ######### ##; ## # # ### ###### ########## #### ###### ### ######### ## #### ########## ## ########## #### ## ####### ########. ## #### ####### scan +freebsd, #### ##### ######### ## ####### freebsd. ## #### ###### ## show +freebsd 23 16 42, ## ######## show ######### ### ######## 23, 26 ## 42 ## ####### freebsd. #### ######## #### ### ## ####### *+dossier*. #### ## ##### ###### #### ###### ### ######### #### ### ########## ########. ######## #### ##### ### ##### ####### ## ######## ####### ### ###### ### inbox, #### ## ####### ## folder +inbox ####

########. #### ### ##### # ## ########## ## ##, #### ######## ####### ## #######, #### ## # # ### #########. # ## #####.

3.1. pick# ######### ### ######## #### ###

pick ### ### ### ######### ### #### ########## ## ##. ## ## ####### ### ##### #### ######### ### ####### #### ## #### ## ###### ## ####(1) #### #### ## ##########. ## #### ###### ##### ## #### ###### ### ## ########:

```
tempest% pick --search pci
15
42
55
56
57
```

pci #### ### ### ###### ## ########. #### ###### ####### ###### ## ######## show ### ### ######## #### ### #### ## rmm #### ### ########. #### ###### #### ### ###–### ## ######## ######## show 15 42 55-57 #### ### #### ####. ### ##### ## ### #### ########## ########## pick ###### ## ########:

```
tempest% pick --search pci --seq pick
5 hits
tempest% show pick
```

####–####. ######## -seq ##### #### ## #### ###### ########## ## ########-sequence ## ## ######## pick ##### #### ## #### ###### ######## ########## ### ####### ### ######## ######### ## ########. #### ###### ##### ######## ## ######## rmm pick #### ####### #### ### ######## ### ######### ## ########. ## ### ## ## ######## ##### ### ##########. ## #### ######## ## ######## pick ## #######, ########## ######## #### ####### ## #### ######## ## #### ###.

pick -search, #### #### ####### #### ## ##### ### ## ######## ## ####### ##### ## ############ ## ## ########. ## ######## pick ####### #### ## ######## ######## ##########:

-to

######### ### ## ############

-cc

######### #### ## ##### ## ## #######

-from

######### ### ############ ## #######

-subject

######### #### ## ##### ## #######

-date
: ######### ### ####### # ## #### ## #######

--component
: ######### ### ## ########## ##### ######. (##: --reply-to #### ########## #### ### ####### ######## ### ########)

####:

```
tempest% pick --to freebsd-hackers@freebsd.org --seq hackers
```

#######. pick #### ###### ## ####### ## ########### ##### ## ######## ## #######.

- … -and …
- … -or …
- -not …
- -lbrace … -rbrace

####:

```
tempest% pick --to freebsd-hackers --and --cc freebsd-hackers
```

##########–##### ## ### ## ##### # ##### #####. ### ####### lbrace ## rbrace #### ########## ## ####### ### ######## ########. #### #### #### #### #### ######### ##########, ##### #### ######### #######:

```
tempest% pick --lbrace --to freebsd-hackers --and
  --not --cc freebsd-questions --rbrace --and --subject pci
```

(#### ### ## #### ### ### ## ##### #### ## ##### #################) ## #### ## ##### ### ### #. ########### #### #### ######## ## ########; #### ###### ### ## ########## ### ########## ? #### #### ######## ##### ############# ### ########## #### ######## ## ###### # ###### ## ### ## ############## ## ## ##–###### ### #### ## ##### ### ### ######### ## ### ##############. ## ####### ### ##### ###### #### ## ######## pick. ### ############ ####### #### #### #########, #### ##### ## #### ## ###### #### #### ##############. ## ######## ### ##### ## #### #### ##### # ######### ##.

3.2. folder, folders, refile# ##### ########## ###### #### ##### ### ########.

########. ## ######### folder ### ######## #### ######## ## ########, ###### #### ########. #### ###### ###### ## ######## folder +dossier2 ## ################, #### ####

dossier2. ##### ###### ### ######### ##, ###### ### comp,repl,scan, ## show ########### ## ####### dossier2.

######## #### ####### #### ##### ## ####### #### ######## #### #### ### # ###–############ # #### ### ########. ## #### ###### ## scan #### ###### #### ### ###–##### 34, 35, 36, 43, 55, 56, 57, 80. ## #### ###### ## folder -pack, #### #### ###### ## ########### #### ### ########, ## #### ####### #### ## ###############. #### ######## ##### #######. #### ##### #### ############### ##### ### rmm ### ### ########.

########, #### ###### ##### ### folders ## ### folder -all #### ####### ## ##### ## ### ########, ####### ## ######## ######## ###### ####### ## #### ### ## ####### ####### #### ######. ## ##### ## ######–##### ######## ### ## #### ### ##### ### #### #### ####### #### ####### ## ###–#### #### ## ######## folder +dossier2. ## ####### ## ## ######## folders ######## ####:

```
          Folder     # of messages (  range  -); cur  msg  (other files)
        announce  has    1 message  (   1-   1).
         drafts  has   no messages.
       f-hackers  has   43 messages (   1-  43).
      f-questions  has   16 messages (   1-  16).
          inbox+ has   35 messages (   1-  38); cur=  37.
          lists  has    8 messages (   1-   8).
       netfuture  has    1 message  (   1-   1).
            out  has   31 messages (   1-  31).
       personal  has    6 messages (   1-   6).
          todo  has   58 messages (   1-  58); cur=   1.

            TOTAL=  199 messages in 13 folders.
```

refile #### ###### ## ######## ### ######## ##### ### ########. ## #### ###### ## refile 23 +nouveaudossier, ## ####### 23 #### ######## #### ## ####### nouveau-dossier. #### ###### #### ##### #### ##### ## refile 23 +nouveaudossier/sousdossier1 ### #####–#### ## ####### 23 #### ## ## #### #######,sousdossier1, ## ####### nouveaudossier. ## #### ###### ###### ## ####### #### ## ####### ####### #### ## ## ####### #### ## #####, #### ##### ###### ## ######## refile -link 23 +nouveaudossier, ### ####### ## ###–#### #### ## ####### inbox #### ## ## ####### #### ## ####### nouveaudossier. #### #### ###### ## ######## ###### ### ###### ############# ### #### ###### ##### #### ##.

4. ####### ###

####### ### #### ######## ## ####, ##### ### ### # ###### ####, #### ####### #### ######## # ######## ########. ## ##### ########## ## #### ####### ### ######## #### #### ######### # ########## ## #####, #### ## ###### ### ###### ############.## ######## ##### ### #### ##, ### ## ###### ## ########### ####

#######. ## ########### ### ## #### ## ######### ## ###–
To: ## Subject:. ## ######## ##### ######## ##### ###–
#######
#######. ######## #### ###### ## ######## whatnow.
What now?, #### ###### ######## ### ### ### ###–
send, list, edit, edit, push, ### quit. ## ######## ### #########
############ ####### ####. #### ## ######### ####### ## ######## ### ## #######;
###########, ####### ## ##### #######, ## ######### ## ## ###–
whatnow ## ### ######### #### ##### ## ##### #######.

4.1. comp, forw, reply#########, ##### ###### ## ######## # ##

comp ######## ######## ######## ## ## ##### ## ######## #######–
######. ## #### ########## ### -editor.######## #### ######### ##, ## ######### ##–
prompter ### ######## ##### ######## ## ##### ### ######. ## ##### ### ## ###–
###########. #### ######## #### ######## ## #######, ####
######## comp -editor /usr/bin/vi ## comp -editor /usr/local/bin/pico # ## #####. ##### ##### ######
comp, #### #### ######## #### ##### ######## ## ##### ###### ## #### ##### #######
####:

```
To:
cc:
Subject:
--------
```

To:. ####
######## ## ## #### ######## ### ###### ########, #### #### ##### ###### ## #####
Subject:. #### ###### ######## ######## ## ##### ## ##### #######
###########. #### #### #### ######## ## ### ######### ### ########
######## ########## ## ########## ### #### #### ### ######### ## ###########
############### ### ########## ######, #### #### #### ######## ### ##########
###########.

To:**freebsd-rave@freebsd.org**
cc:
Subject:**Et le 8ème jour, Dieu créa le bureau des directeurs de FreeBSD**

Ouah, c'est un super système d'exploitation. Merci -!

########, ########### ## ######## ## ######## ##### ########. ####
What now? ## #### ######## ##### **send** ## **s** ## ######## ### ##
######. ##### ######## ######### ## ############## ## ######## ######## ##### ###–
######. ##### ######### ############ #### ###### ######## ### ### ###### ##–
#####, ### ######## quit ## #### ## ###### ### ######## ## ########.

forw ######### ## ##### #########. ## ######### ########## ### ###
######## ### #### ######## ######### #### ### ##### ## ######## ########. ########

############ # ##

forw, #### ###### ###### ## ####### ####### # ## ##### ############. #### ###### ##### ###### ## ##### ####### ## ######### ## ## ##### ######## forw 23 ## ######## forw, ##### ## ####### 23 #### ###### #### ## ##### ## ####### #######. # #### ### ####### ##########, ## ######## forw, ########## ## ## #### ##### ### ## ######## comp.

repl #### ###### ## ######## ## ####### #######, #### ## #### ### ##–###### ## ##### ###### ## ########. ## ######## repl ###### ## ####### ## ##### ### ########## ###### ## ######## ## ######## ## ## ### ## ###### #### ## ####### ## ####. #### ####### #### ### ## ##### To: ## ######## ######## #### ######### ## ############ ## ### ## ##### Subject: ### #### #######. ####### #### ######## ## ## ##### ########## ##### #######. ## ###### ############ ## ##### ######## ### -cc. #### ###### ######## ##### ######### *all*, *to*, *cc*,*me* #### ##### ######; #### #### ###### ######### ## ##### ######, ### ######## ## ##### ## ####### #####–###. #### ####### ### ## ####### ######## ##### ### ###### ### ######. ##### ## ############ ### ###### ## ## ####### ### ############## ## ##.

4.2. **components**, ## **replcomps**#### ######## ## ########## #### **comp** ### **repl**

components ## ###### ## ####### ## ##### #### ## ########## /usr/local/lib/mh. #### ###### ###### ## ####### #### ##### ########## ## ## ## ######## #### ####### ## ### #### ######. #### #### ######### ###### ######## ## #### ### ##–#### ## #####, ### ##### ########## ## #### #### ####. ## ######## comp ## #### ### ###### ## ####### ## #### ###### ####### ## ########. #### ###### ####### ######### #### ###### ###### (###822). ### #######, #### ######## ##### ## ##–##### components #######:

```
To:
Fcc: out
Subject:
X-Mailer: MH 6.8.3
X-Comment: FreeBSD the power to serve
X-Home-Page: http://www.freebsd-fr.org/
-------
```

######. ## ####### components ### #### ######. ## #### ####### ####### ### #########, ## #### ###### ## ######### #### ## #######.

replcomps ### ## ### #### ########. ### ####### ### ###### ######### # ####:

```
%(lit)%(formataddr %<{reply-to}%?{from}%?{sender}%?{return-path}%>)\
%<(nonnull)%(void(width))%(putaddr To: -)\n%>\
%(lit)%(formataddr{to})%(formataddr{cc})%(formataddr(me))\
%<(nonnull)%(void(width))%(putaddr cc: -)\n%>\
```

```
%<{fcc}Fcc: %{fcc}\n%>\
%<{subject}Subject: Re: %{subject}\n%>\
%<{date}In-reply-to: Your message of -"\
%<(nodate{date})%{date}%|%(pretty{date})%>."%<{message-id}
        %{message-id}%>\n%>\
--------
```

components #### ## ######## ## ### #### ## ##### ## #### ## #####. ## ######## %(lit) #### ######## ########## #### #########. ## ######## %(formataddr ### ### ######## ### ######## ### ####### ###### #########. ## ####### ####### %< ###### ## ####### ## ##### ## ######### #### ######### ############## #### ## ### ## #### ## ###### #### ## ##### {reply-to} ## ####### ## ##########. #### #### #### ########## ## ## ####### ########:

```
%<si {reply-to}  dans le message original ou trouve un champ reply-to
alors la mettre dans le champ formataddr, %? sinon
prendre le contenu du champ  {from} , %? sinon prendre
le champ {sender} , %?
et en dernier lieu prendre le champ  {return-path} , %> endif.
```

####, ## ########## ### ###### ## ## #### #### ######### ######. #### ####### ######## ######### ## ####### ### ###### ######### ## ### #### ## #########. ###### ### ###### ############ ### ## ##### ######## ### ####### ## ########## ## ###### #### ## #### ## ###### ## ##. #### ####### #### ##### ##### ## ##### ##### ######## replcomps #### ####### #### ###### ### #######. ##### ##### ######### ## #### ##### ###### ## ########### ## ## ####### ### ##.